

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	"6650112"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:47
L2	53246	(impedance).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:50
L3	4370	2 and (magnet\$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:50
L4	60	3 and (amorphous ).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:50
L5	29	4 and (insulat\$4 adhesiv\$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:52
L6	18	5 and (wire cable thin film thread ).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:48
L7	2	6 and (thermal\$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:49
L8	6	6 and (thermal\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:50
L9	71	(impedance) near3 (effect ) near3 (element ).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:50

## EAST Search History

L10	19	9 and (magnet\$4).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:50
L11	15	10 and (amorphous )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:51
L12	0	11 and (thermal\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:51
L13	642	(impedance) near3 (effect ) near3 (element )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:55
L14	306	13 and (magnet\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:55
L15	42	14 and (amorphous )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:51
L16	4	15 and (thermal\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:52
L17	3	16 and (electrode )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:52
L18	1	17 and (bond\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:52
L19	3	17 and (bond\$4 insulat\$4 adhesiv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:56

## EAST Search History

L20	3	19 and (substrate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:53
L21	3	20 and (groove slot slit opening hole aperture )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:57
L22	515	73/779.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:55
L23	59	22 and (thermal\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:55
L24	51	23 and (magnet\$4 amorphous )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:55
L25	35	24 and (bond\$4 insulat\$4 adhesiv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:56
L26	11	25 and (impedance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:57
L27	5	26 and (groove slot slit opening hole aperture )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:58
L28	2	27 and (electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:58
L29	2989	(electrode) near3 (magnet\$4 amorphous ) near3 (wire thin film cable thread )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 11:59

## EAST Search History

L30	821	29 and (insulat\$4 adhesiv\$4) near3 (substrate )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 12:00
L31	8	30 and (substrate ) near3 (thermal\$4) near3 (coefficient )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/19 12:00